



50902LEDD-WH/CH






50902LEDD-WH/WH



50902LEDD-WH/GLD

Layers Flush Mount


Finish: WH/CH WH/GLD WH/WH	Glass: --	Included: SSL Boards	Certifications: Dry/Damp, Ceiling				  
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
50902LEDD-_/_/	1ft x 30 W	SSL	90 CRI LED	3000k	3057lm	6.3"(H); 21.5"(dia)	



50901LEDD-WH/WH






50901LEDD-WH/CH



50901LEDD-WH/GLD

Layers Flush Mount

Finish: WH/CH WH/GLD WH/WH	Glass: --	Included: SSL Boards	Certifications: Dry/Damp, Ceiling				  
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
50901LEDD-_/_/	11t x 30 W	SSL	90 CRI LED	3000k	3057lm	6.3"(H); 18"(dia)	



50900LEDD-WH/WH







50900LEDD-WH/CH




50900LEDD-WH/GLD

Layers Flush Mount


Finish: WH/CH WH/GLD WH/WH	Glass: --	Included: SSL Boards		Certifications: Dry/Damp, Ceiling			  
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
50900LEDD-_/ _	11t x 15 W	SSL	90 CRI LED	3000k	1515lm	6.3"(H); 14.25"(dia)	



50907LEDD-WH/WH




50907LEDD-WH/CH



50907LEDD-WH/GLD

Layers Wall Fixture

Finish: WH/CH WH/GLD WH/WH	Glass: --	Included: SSL Boards		Certifications: Damp, Wall			
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
50907-_/ _	21t x 36 W	E-12	B-10 Incandescent	2700k	1100lm	12.6"(W) x 7.9"(H); 6.75"(ext)	
50907LEDD-_/ _	11t x 16 W	SSL	90 CRI LED	3000k	1650lm	12.6"(W) x 7.9"(H); 6.75"(ext)	