

access outdoor

LA VIDA



20016LEDDMG-SAT

Satin Finish

20016LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

5.5"W x 10"H x 3.75"Ext.

2 x 8 W SSL Dedicated LED (Included)

396 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade,ADA,Energy Efficient,JA8-2016/Title 24



2017LEDDMG-SAT

LED Outdoor Wall Mount

Satin Finish

8.75"W x 5.5"H x 3.75"Ext.

2 x 10 W SSL Dedicated LED (Included)

901 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed


Marine Grade,ADA,Energy Efficient,JA8-2016/Title 24



2017LEDDMG-BL

Black Finish

AMORA



20018LEDDMG-BL
Black Finish

20018LEDDMG-SAT

LED Outdoor Wall Mount

Satin Finish

5.5"W x 10"H x 3.75"Ext.

2 x 8 W SSL Dedicated LED (Included)

388 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade,ADA,Energy Efficient,JA8-2016/Title 24



20019LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

8.75"W x 5.5"H x 3.75"Ext.

2 x 10 W SSL Dedicated LED (Included)

911 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade,ADA,Energy Efficient,JA8-2016/Title 24



20019LEDDMG-SAT

Satin Finish

HUBERT



20002LEDDMG-BRZ/SDG

LED Outdoor Wall Mount

Bronze Finish

Frosted Seeded Glass

6"W x 13"H x 2.5"Ext.

1 x 10 W SSL Dedicated LED (Included)

323 Delivered. Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade,ADA,Energy Efficient,JA8-2016/Title 24

**20001LEDDMG-BRZ/SDG***LED Outdoor Wall Mount*

Bronze Finish

Frosted Seeded Glass

6"W x 8"H x 2.5"Ext.

1 x 8 W SSL Dedicated LED (Included)

220 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade,ADA,Energy Efficient,JA8-2016/Title 24

MARINO



20121LEDDMG-BL

Black Finish

20121LEDDMG-SAT

LED Outdoor Wall Mount

Satin Finish

4.75"W x 14"H x 4.75"Ext.

2 x 6 W SSL Dedicated LED (Included)

688 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade, Energy Efficient, JA8-2016/Title 24



20120LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

4.75"W x 8"H x 4.75"Ext.

2 x 6 W SSL Dedicated LED (Included)

612 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade,Energy Efficient,JA8-2016/Title 24



20120LEDDMG-SAT

Satin Finish

MATIRA



20147LEDDMGLP-SAT

Satin Finish

20147LEDDMGLP-BL

1 Light Outdoor Wall Mount

Black Finish

4.75"W x 7.75"H x 6.5"Ext.

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade, Energy Efficient, Dark Sky

Optional Turtle Light Bulb Sold Separately



20148LEDDMGLP-SAT

1 Light Outdoor Wall Mount

Satin Finish

4.75"W x 11.5"H x 6.5"Ext.

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient

Optional Turtle Light Bulb Sold Separately



20148LEDDMGLP-BL

Black Finish

MATIRA



20149LEDDMGLP-BL

Black Finish
Frosted Lens

20149LEDDMGLP-SAT

2 Light Outdoor Wall Mount

Satin Finish

Frosted Lens

4.75"W x 12.25"H x 6.5"Ext.

2 x 10 W E-26 Replaceable LED (Included)

1600 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade, Energy Efficient

Optional Turtle Light Bulb Sold Separately

SOLANO



20137LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

5"W x 11.5"H x 6.5"Ext.

1 x 8 W SSL Dedicated LED (Included)

465 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient, JA8-2016/Title 24

SOLANO



20133LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

8''W x 4.5''H x 8.5''Ext.

1 x 12 W SSL Dedicated LED (Included)

704 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient, JA8-2016/Title 24

SOLANO



20143LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

5.5''W x 8''H x 6.5''Ext.

1 x 8 W SSL Dedicated LED (Included)

386 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade, Energy Efficient, JA8-2016/Title 24



20135LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

6.75"W x 7.75"H x 9.75"Ext.

1 x 12 W SSL Dedicated LED (Included)

675 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient, JA8-2016/Title 24

AVALON



20131LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

11"W x 9.5"H x 12"Ext.

1 x 12 W SSL Dedicated LED (Included)

437 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient, JA8-2016/Title 24



20130LEDDMG-BL

LED Outdoor Wall Mount

Black Finish

9"W x 8"H x 10"Ext.

1 x 8 W SSL Dedicated LED (Included)

373 Delivered Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient, JA8-2016/Title 24

VIVRE



20015LEDDMG-SAT

Satin Finish

20015LEDDMG-BRZ

LED Outdoor Wall Mount

Bronze Finish

5.5"W x 5"H x 7"Ext.

1 x 8 W SSL Dedicated LED (Included)

289 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Dark Sky, Marine Grade, Energy Efficient, JA8-2016/Title 24



TL-20365LEDDMG-BRZ/FST

LED Outdoor Turtle Wall Mount

Bronze Finish

Frosted Diffuser

8.5"W x 7"H x 9.5"Ext.

1 x 24 W SSL Dedicated LED (Included)

1615 Delivered Lumens

2000K, 70 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Marine Grade, Dark Sky, Energy Efficient

598 nm Lightsource

SÖLL



20126LEDDMG-ORB/OPL

Outdoor LED Wall Light

Oil Rubbed Bronze Finish
Clear Outer Glass with Inner Acrylic Diffuser
4.75"W x 14"H x 4.5"Ext.

1 x 12 W SSL Dedicated LED (Included)

1100 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor



SÖLL



20125LEDDMG-ORB/OPL

Outdoor LED Wall Light

Oil Rubbed Bronze Finish
Clear Outer Glass with Inner Acrylic Diffuser
4.75"W x 10"H x 4.5"Ext.

1 x 8 W SSL Dedicated LED (Included)

720 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor





SÖLL



MARGATE

MARGATE



20110LEDDMG-BL/ACR

Outdoor LED Wall Light

Black Finish

Acrylic Lens

5"W x 10.25"H x 4.5"Ext.

1 x 12 W SSL Dedicated LED (Included)

580 Delivered Lumens


3000K, 90 CRI, 120v

Wet Location

UL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor



20110LEDDMG-SAT/ACR

Satin Finish

CABO



20280LEDDMG-BL/OPL

Black Finish



20280LEDDMG-WH/OPL

White Finish

20280LEDDMG-SAT/OPL

Outdoor LED Bulkhead

Satin Finish

Opal Glass

8.5"W x 5.25"H x 4"Ext.

1 x 9 W SSL Dedicated LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v



Dimmable

Wet Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor





CABO

CLIFTON



20260LEDDMG-BL/OPL

Black Finish



20260LEDDMG-WH/OPL

White Finish

20260LEDDMG-SAT/OPL

Outdoor LED Bulkhead

Satin Finish

Opal Glass

9.75" DIA. x 4.25" Ext.

1 x 12 W SSL Dedicated LED (Included)

1100 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location

ETL (US/Canada) Listed

Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor





20270LEDDMG-WH/OPL

Outdoor LED Bulkhead

White Finish

Opal Glass

8.5"W x 5.25"H x 4"Ext.

1 x 9 W SSL Dedicated LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor



20270LEDDMG-BL/OPL

Black Finish



20270LEDDMG-SAT/OPL

Satin Finish




Shown : 20086LED-BL/CLR

REVEAL

This LED inspired collection leaves nothing to the imagination. Reveal flaunts pure LED illumination through clear glass margins intersecting to create a perfectly balanced modern geometric luminaire with a hint of transitional attributes.



Micro USB
Connection for Charging



reddot design award
winner

20086LEDD-BL/CLR

Portable LED Lantern with Bluetooth Speaker

- Black
- Clear Glass
- 7.25"L x 7.25"W x 11.5"H
- 1 x 4 W SSL Integrated
- 300 Nom. Lumens
- 3000K, 80 CRI
- 3 Step Dimming
- Wet Location
- ETL (US/Canada) Listed

Additional Notes:

- Brushed Aluminum Handle
- 4 Hours Battery (Max Light & Max Volume)
- 3 Step Dimming (300 Nom. Lumens, 150 Nom. Lumens, 50 Nom. Lumens)



20081LED-SG/SDG

Satin Gray
Seeded Glass


20081LED-BL/SDG

(l) LED Outdoor Wall Fixture

Black
Seeded Glass
7"W x 22"H x 10"Ext.
1 x 13 W SSL Integrated
1400 Nom. Lumens
3000K, 90 CRI LED, 120-277v
Wet Location
ETL (US/Canada) Listed



reddot design award
winner



REVEAL

20080LED-SG/SDG

(s) LED Outdoor Wall Fixture

Satin Gray

Seeded Glass

7"W x 14.5"H x 10"Ext.


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI, 120-277v

Wet Location

ETL (US/Canada) Listed



reddot design award winner



20080LED-BL/SDG

Black
Seeded Glass

REVEAL

20084LED-SG/SDG

LED Outdoor Semi Flush

Satin Gray

Seeded Glass

7"L x 7"W x 13"H


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI, 120-277v

Wet Location

ETL (US/Canada) Listed



20084LED-BL/SDG

Black
Seeded Glass

REVEAL



20083LED-SG/SDG

Satin Gray
Seeded Glass



20083LED-BL/SDG

(l) LED Outdoor Pier Mount

Black

Seeded Glass

7" L x 7" W x 15" H


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI, 120-277v

Wet Location

ETL (US/Canada) Listed



REVEAL



20082LED-BL/SDG

Black
Seeded Glass



20082LED-SG/SDG

(s) LED Outdoor Pier Mount

Satin Gray

Seeded Glass

7" L x 7" W x 13.25" H


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI, 120-277v

Wet Location

ETL (US/Canada) Listed





20081LED-BL/CLR

(l) LED Outdoor Wall Fixture

Black

Clear Glass

7"W x 22"H x 10"Ext.


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI LED, 120-277v

Wet Location

ETL (US/Canada) Listed



reddot design award
winner



20081LED-SG/CLR


Satin Gray
Clear Glass

REVEAL



20080LED-SG/CLR *(s) LED Outdoor Wall Fixture*

Satin Gray
Clear Glass
7"W x 14.5"H x 10"Ext.
1 x 13 W SSL Integrated
1400 Nom. Lumens
3000K, 90 CRI, 120-277v
Wet Location
ETL (US/Canada) Listed




20080LED-BL/CLR

Black
Clear Glass



reddot design award
winner


REVEAL



20084LED-SG/CLR

LED Outdoor Semi Flush

Satin Gray
Clear Glass
7"L x 7"W x 13"H
1 x 13 W SSL Integrated
1400 Nom. Lumens
3000K, 90 CRI, 120-277v
Wet Location
ETL (US/Canada) Listed



20084LED-BL/CLR

Black
Clear Glass

REVEAL

20083LED-BL/CLR

(l) LED Outdoor Pier Mount

Black

Clear Glass

7" L x 7" W x 15" H


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI, 120-277v

Wet Location

ETL (US/Canada) Listed



20083LED-SG/CLR

Satin Gray

Clear Glass

REVEAL

20082LED-SG/CLR

(s) LED Outdoor Pier Mount

Satin Gray

Clear Glass

7" L x 7" W x 13.25" H


1 x 13 W SSL Integrated

1400 Nom. Lumens

3000K, 90 CRI, 120-277v

Wet Location

ETL (US/Canada) Listed



20082LED-BL/CLR

Black

Clear Glass


METRO



20063LEDDMG-BL/GLD

Wall Sconce

Black and Gold Mesh
7.5"W x 12"H x 3.75"Ext.
1 x 13 W SSL Integrated
1293 Nom. Lumens
4000K, 90 CRI, 120v
Dimmable
Wet Location
ETL (US/Canada) Listed
ADA, Energy Efficient, Marine Grade




METRO



20062LEDDMG-BL/GLD

Wall Sconce

Black and Gold Mesh
6.5"W x 10"H x 3.75"Ext.
1 x 13 W SSL
1293 Nom. Lumens
4000K, 90 CRI, 120v
Dimmable
Wet Location
ETL (US/Canada) Listed
ADA, Energy Efficient, Marine Grade





20060LEDDMG-BL/SDG

Wall Sconce

Black

Seeded Glass

7.5"W x 10.25"H x 11.5"Ext.

1 x 9 W SSL Integrated

434 Delivered Lumens


4000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

Energy Efficient, Marine Grade



20060LEDDMG-SAT/SDG

Satin
Seeded Glass

GRID



20049LEDDMG-BRZ/GLD

Wall Sconce

Bronze with Gold

7.5"W x 4.5"H x 2"Ext.

1 x 10.5 W SSL Integrated

850 Nom. Lumens


3000K, 80 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade



EDGE



20050LEDDMG-BL

Black



20050LEDDMG-SAT

Wall Sconce

Satin

5.5"W x 7.25"H x 4"Ext.

1 x 13 W SSL Integrated

1293 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade



20043L-LEDDMG-BL/CLR

(l) LED Wall Fixture

Black

Clear Glass

7.25"W x 10"H x 3.75"Ext.

1 x 15 W SSL Integrated

668 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

UL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade



20043M-LEDDMG-BL/CLR

(m) LED Wall Fixture

Black

Clear Glass

6"W x 8"H x 3"Ext.

1 x 15 W SSL Integrated

597 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

UL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade



20043S-LEDDMG-BL/CLR

(s) LED Wall Fixture

Black

Clear Glass

4.5"W x 6"H x 2.5"Ext.

1 x 15 W SSL Integrated

629 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

UL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade



20043L-LEDDMG-SAT/CLR

Satin

Clear Glass

20043M-LEDDMG-SAT/CLR

Satin

Clear Glass

20043S-LEDDMG-SAT/CLR

Satin

Clear Glass



Shown : 20399LEDMGCNE-WH

CONE

Perfectly integrated LED technology illuminates this modern, minimalist collection. Unadorned, clean architectural lines are offset by the soft curve of the shade. Independently adjustable louvers allow for personalized fine-tuning of the beam spread to maximize the lighting impact. Marine Grade Black, Satin, White and Bronze finishes.



20399LEDMGCNE-WH

LED Wallwasher

White

7.5"W x 6"H x 6"Ext.

2 x 3 W SSL Integrated

312 Delivered Lumens

3000K, 80 CRI, 100-240v


Wet Location

UL (US/Canada) Listed

Energy Efficient, Marine Grade

Additional Notes:

Adjustable Light Louvers



20399LEDMGCNE-BL

Black



20399LEDMGCNE-BRZ

Bronze



20399LEDMGCNE-SAT

Satin

EXTERIOR



ULKO EXTERIOR

Don't be surprised if you feel compelled to place ULKO indoors too. This wet rated, clearly contemporary outdoor LED flush mount, is ultra-attractive, 90 CRI, and CEC compliant.



20075LEDD-WH/ACR



20075LEDD-SILV/ACR



20075LEDD-BRZ/ACR



20076LEDD-WH/ACR



20076LEDD-SILV/ACR



20076LEDD-BRZ/ACR

Ulko Exterior Dimmable Square Flush Mounts

| Finish: SILV BRZ WH | Glass: ACR | Included: All SSL Boards | Certifications: Wet, Wall/Ceiling | | | |
|---------------------|------------|--------------------------|-----------------------------------|--------|----------|-----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20075LEDD-_/ACR | 1ft x 15 W | SSL | 90 CRI LED | 3000k | 900lm | 7"(L) x 7"(W) x 1"(H) |
| 20076LEDD-_/ACR | 1ft x 19 W | SSL | 90 CRI LED | 3000k | 1200lm | 9"(L) x 9"(W) x 1"(H) |





20070LEDD-SILV/ACR






20071LEDD-BRZ/ACR



20072LEDD-WH/ACR

Ulko Exterior Dimmable Round Flush Mounts

| Finish: SILV BRZ WH Bronze not offered in 20070 | Glass: ACR | Included: All SSL Boards | Certifications: Wet, Wall/Ceiling | | | |    |
|--|------------|--------------------------|-----------------------------------|--------|----------|------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20070LEDD-_/ACR | 11t x 11 W | SSL | 90 CRI LED | 3000k | 700lm | 1"(H); 5.5"(dia) | |
| 20071LEDD-_/ACR | 11t x 14 W | SSL | 90 CRI LED | 3000k | 1200lm | 1"(H); 7"(dia) | |
| 20072LEDD-_/ACR | 11t x 19 W | SSL | 90 CRI LED | 3000k | 1500lm | 1"(H); 9"(dia) | |



20355MG-SAT/FST



20355MG-BRZ/FST

Oceanus Marine Grade Wet Location Ceiling or Wall Fixture

| Finish: BRZ SAT | Glass: FST | Included: LED Module, A-19 Lamp | Certifications: Wet, Wall/Ceiling | | | |
|---------------------|------------|---------------------------------|-----------------------------------|--------|----------|---------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20355MG-_/FST | 1lt x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 12"(dia); 5.5"(ext) |
| 20355LEDDMG-_/FST | 1lt x 17 W | SSL | 90 CRI LED | 3000k | 1440lm | 12"(dia); 5.5"(ext) |
| 20355LEDDMGLP-_/FST | 1lt x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 12"(dia); 5.5"(ext) |



20356MG-BRZ/FST



20356MG-SAT/FST

Oceanus Marine Grade Wet Location Ceiling or Wall Fixture

| Finish: BRZ SAT | Glass: FST | Included: LED Module, A-19 LED Lamp | Certifications: Wet, Wall/Ceiling | | | |
|---------------------|------------|-------------------------------------|-----------------------------------|--------|----------|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20356MG-_/FST | 2lt x 60 W | E-26 | A-19 Incandescent | 2700k | 1600lm | 15.75"(dia); 5.5"(ext) |
| 20356LEDDMG-_/FST | 1lt x 17 W | SSL | 90 CRI LED | 3000k | 1440lm | 15.75"(dia); 5.5"(ext) |
| 20356LEDDMGLP-_/FST | 2lt x 9 W | E-26 | 80 CRI LED | 3000k | 1600lm | 15.75"(dia); 5.5"(ext) |





360

360 is an “all-rounder,” complete with geometrically inspired designs and innovative LED technology. Four sizes are available in a Marine Grade bronze or satin finish.



20059LEDDMG-SAT



20061LEDDMG-BRZ






20057LEDDMG-BRZ



20058LEDDMG-SAT

360 Dimmable Outdoor Marine Grade LED Wall Mounts

| Finish: BRZ SAT | Glass: -- | Included: All SSL Boards | | Certifications: Wet, Wall | |    |
|-----------------|------------|--------------------------|------------|---------------------------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20057LEDDMG-__ | 1lt x 10 W | SSL | 80 CRI LED | 3000k | 1000lm | 7" (W) x 10" (H); 2.3"(ext) |
| 20058LEDDMG-__ | 1lt x 16 W | SSL | 80 CRI LED | 3000k | 1400lm | 9.5" (W) x 13" (H); 2.3"(ext) |
| 20059LEDDMG-__ | 1lt x 12 W | SSL | 80 CRI LED | 3000k | 1200lm | 8" (W) x 16" (H); 2.3"(ext) |
| 20061LEDDMG-__ | 1lt x 10 W | SSL | 80 CRI LED | 3000k | 1000lm | 6" (W) x 12" (H); 2.3"(ext) |

TRILOGY

TRILOGY is the outdoor luminaire that will bring both design and technology to your space. Pure LED light is reflected off the back plate providing unobtrusive ambient lighting that is fresh and welcoming.



20056LEDDMG-SAT






20055LEDDMG-BRZ



20055LEDDMG-SAT

Trilogy Dimmable Outdoor Marine Grade Wall Fixture


| Finish: BRZ SAT | Glass: -- | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|-----------------|-----------|--------------------------|---------------------------|--------|----------|---|
| | | | | | |    |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20055LEDDMG-__ | 3ft x 4 W | SSL | 80 CRI LED | 3000k | 1200lm | 7"(W) x 12"(H); 3.7"(ext) |
| 20056LEDDMG-__ | 3ft x 6 W | SSL | 80 CRI LED | 3000k | 1600lm | 9.6"(W) x 16"(H); 3.7"(ext) |

MONTREAL


There is a quiet sophistication to this unusual outdoor light. Perhaps the aesthetic attraction lies in the pleasing curves of MONTREAL, low profile appearance of this unique outdoor luminaire? Regardless, MONTREAL with multi-directional LED light distribution is boutique outdoor lighting at its best!




20048LEDMG-BL/FST



20046LEDDMG-BL/FST



20046LEDDMG-SAT/FST



20046LEDDMG-BRZ/FST

Montreal Marine Grade Wet Location LED Wall Fixture


| Finish: BL BRZ SAT | Glass: FST | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|--------------------|---------------|--------------------------|---------------------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20046LEDDMG-_/FST | 2ft x 13.5 W | SSL | 90 CRI LED | 3000k | 1720lm | 12"(W) x 2.48"(H); 2.97"(ext) |
| 20048LEDMG-_/FST | 2ft x 14.75 W | SSL | 90 CRI LED | 3000k | 1800lm | 18"(W) x 3.5"(H); 3.46"(ext) |






THE VERTICAL

Strong geometric lines, make THE VERTICAL a standout in the rugged outdoors. LED technology caters to the low profile simplicity of this artsy luminaire. Light reflected off the mounting surface, creates drama that will enhance curbside appeal.



20045LEDDMG-BRZ/ACR







20045LEDDMG-SAT/ACR




20045LEDDMG-BL/ACR

Vertical Marine Grade Wet Location Dimmable LED Wall Fixture

| Finish: BL BRZ SAT | Glass: ACR | Included: All SSL Boards | | Certifications: Wet, Wall | | |     |
|--------------------|--------------|--------------------------|------------|---------------------------|----------|------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20045LEDDMG-_/ACR | 11t x 12.4 W | SSL | 90 CRI LED | 3000k | 985lm | 4.33"(W) x 11"(H); 3.4"(ext) | |




20047LEDMG-BL/ACR






20047LEDMG-SAT/ACR

BI-VERTICAL
Upscale indoors or out.



20047LEDMG-BRZ/ACR

Bi Vertical Marine Grade Wet Location LED Wall Fixture 120-277v

| | | | | | | |
|--------------------|------------|--------------------------|------------|---------------------------|----------|---|
| Finish: BL BRZ SAT | Glass: ACR | Included: All SSL Boards | | Certifications: Wet, Wall | |    |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20047LEDMG-_/ACR | 21t x 12 W | SSL | 90 CRI LED | 3000k | 1400lm | 4.33"(W) x 17.5"(H); 3.4"(ext) |

AVANTE


Go forward, feel confident and assured, knowing that you have selected a stylish contemporary luminaire with cutting-edge technology when you say "AVANTE." The pleasing circular shape is complimented by the subtle curve of the shade and half-moon cut out in the lower metal work. Dark sky lighting with style - AVANTE.



20044LEDDMG-SAT/OPL







20044LEDDMG-BL/OPL



20044LEDDMG-BRZ/OPL

Avante Marine Grade Wet Location Wall Dimmable LED Fixture

| Finish: BL BRZ SAT | Glass: OPL | Included: All SSL Boards | | Certifications: Wet, Wall | |     |
|--------------------|--------------|--------------------------|------------|---------------------------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20044LEDDMG-_/OPL | 11t x 13.5 W | SSL | 90 CRI LED | 3000k | 1220lm | 8.66" (dia); 2.75" (ext) |



20032LEDMG-BRZ/CLR

BAYSIDE

Strong, architecturally influenced BAYSIDE, brings a multitude of features to its user. BAYSIDE offers either a single downlight option or larger bidirectional choice. Dedicated LED boards provide between 66 and 70 lumens per a watt (model dependent) of pure LED light. Our marine grade finish provides protection from harsh coastal conditions, available in a bronze or satin finish.



20033LEDMG-SAT/CLR

Bayside Marine Grade Wet Location Square Outdoor Wall Fixture


| Finish: BRZ SAT | Glass: FST | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|------------------|------------|--------------------------|---------------------------|--------|----------|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20032LEDMG-_/FST | 1lt x 15 W | SSL | 90 CRI LED | 3000k | 1000lm | 4.5"(W) x 8"(H); 5.5"(ext) |
| 20033LEDMG-_/FST | 2lt x 15 W | SSL | 90 CRI LED | 3000k | 2100lm | 4.5"(W) x 12"(H); 5.5"(ext) |



SQUARE

HIP TO BE SQUARE.


These perfectly four-sided outdoor luminaires conveys a cool, stylish image. Two versions, adjustable or fixed, allow for the dramatic distribution of light on the mounting surface. SQUARE, for those with out of the box thinking.



20398LEDMG-SAT




20399LEDMG-WH
Adjustable Louvers



20398LEDMG-BRZ



20399LEDMG-BL
Adjustable Louvers




Square Marine Grade Wet Location LED Wall Fixtures (20399 Adjustable Louvers)

| Finish: BL BRZ SAT WH | Glass: -- | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|-----------------------|-----------|--------------------------|---------------------------|--------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20398LEDMG-__ | 1ft x 6 W | SSL | 80 CRI LED | 3000k | 480lm | 5"(W) x 3.1"(H); 5"(ext) |
| 20399LEDMG-__ | 2ft x 3 W | SSL | 80 CRI LED | 3000k | 480lm | 4.25"(W) x 4.75"(H); 5"(ext) |






20399LEDMGRND-WH



20399LEDMGRND-BRZ



20399LEDMGRND-SAT



20399LEDMGRND-BL

CURVE

A softer counterpart to the well-received SQUARE series can easily be found in CURVE. This architectural LED piece walks the line between form and function boasting four marine grade finishes with adjustable louvers.

Curve Marine Grade Wet Location LED Wall Fixture with Adjustable Louvers

| Finish: BL BRZ SAT WH | Glass: -- | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|-----------------------|-----------|--------------------------|---------------------------|--------|----------|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20399LEDMGRND-__ | 2lt x 3 W | SSL | 80 CRI LED | 3000k | 480lm | 6"(W) x 5"(H); 5.5"(ext) |



COVE

Design minimalist COVE is inspired by the simple life beside the bay. Dedicated solid-state lighting provides for even light distribution in this array of sizeable outdoor luminaires. Marine grade paint provides COVE with the muscle to withstand harsh coastal environments.



20105LEDMG-BRZ/ACR



20106LEDMG-SAT/ACR








20107LEDMG-BRZ/ACR



20108LEDMG-SAT/ACR

COVE Marine Grade Wet Location Wall LED Fixture

| Finish: BRZ SAT | Glass: ACR | Included: All SSL Boards | | Certifications: Wet, Wall | |     |
|------------------|------------|--------------------------|------------|---------------------------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20105LEDMG-_/ACR | 1ft x 15 W | SSL | 90 CRI LED | 3000k | 800lm | 6.1"(W) x 12"(H); 4"(ext) |
| 20106LEDMG-_/ACR | 1ft x 20 W | SSL | 90 CRI LED | 3000k | 1300lm | 6.1"(W) x 18"(H); 4"(ext) |
| 20107LEDMG-_/ACR | 1ft x 23 W | SSL | 90 CRI LED | 3000k | 1400lm | 6.1"(W) x 24"(H); 4"(ext) |
| 20108LEDMG-_/ACR | 1ft x 28 W | SSL | 90 CRI LED | 3000k | 1500lm | 6.1"(W) x 30"(H); 4"(ext) |



20100LEDDMG-BS/ACR



20101LEDDMG-BRZ/ACR

TUXEDO

At a mammoth 26" or 36" height, TUXEDO conquers both appearance and task. Dedicated solid-state LED lighting provides upwards of 2700 lumens of crisp even light. The acrylic shade is minimally enhanced with a slender metal cage and fine mesh accent, dressing TUXEDO up to impress whilst successfully lighting the space.

Tuxedo Marine Grade Wet Location Wall LED Fixture

| Finish: BRZ SAT | Glass: ACR | Included: All SSL Boards | | Certifications: Wet, Wall | | |
|-------------------|------------|--------------------------|------------|---------------------------|----------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20100LEDDMG-_/ACR | 1lt x 25 W | SSL | 90 CRI LED | 3000k | 2693lm | 9"(W) x 26"(H); 5.5"(ext) |
| 20101LEDDMG-_/ACR | 1lt x 30 W | SSL | 90 CRI LED | 3000k | 3326lm | 9"(W) x 36"(H); 5.5"(ext) |





23007LEDDMG-BRZ/ACR




23007LEDDMG-SAT/ACR

BAND

Outdoor lighting just got more interesting with the BAND wall fixture. The unusual shape, added metal louver element, and acrylic shade at an unbeatable price point, bring modern design to the value driven project.

Band Marine Grade Wet Location Wall LED Fixture

| Finish: BRZ SAT | Glass: ACR | Included: All SSL Boards | | Certifications: Wet, Wall | | |  |
|-------------------|------------|--------------------------|------------|---------------------------|----------|----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 23007LEDDMG-_/ACR | 1lt x 15 W | SSL | 90 CRI LED | 3000k | 1980lm | 7.75"(W) x 11"(H); 5"(ext) | |



20038LEDDMG-SAT/RFR



20039LEDDMG-BRZ/RFR



20040LEDDMG-BRZ/RFR

METROPOLIS

This exciting outdoor design is brimming with contemporary aesthetics. Geometric lines convey a modern air further captured by the seemingly dimensional line etched frosted glass.

Metropolis Dimmable Marine Grade Wet Location LED Wall Fixture

| Finish: BRZ SAT | Glass: RFR | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|-------------------|------------|--------------------------|---------------------------|--------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20038LEDDMG-_/RFR | 1lt x 15 W | SSL | 90 CRI LED | 3000k | 1100lm | 5.85"(W) x 12"(H); 5"(ext) |
| 20039LEDDMG-_/RFR | 1lt x 22 W | SSL | 90 CRI LED | 3000k | 1500lm | 5.85"(W) x 16"(H); 5"(ext) |
| 20040LEDDMG-_/RFR | 1lt x 28 W | SSL | 90 CRI LED | 3000k | 1900lm | 5.85"(W) x 20"(H); 5"(ext) |



DESTINATION

DESTINATION provides you with the opportunity to convert your entrance or outdoor space to a memorable location. Ribbed frosted glass set against a metal background, and minimally adorned with a metal band, bring the smooth curves and dimensional ridges of the shade to the forefront.



20041MG-BRZ/RFR



20041MG-SAT/RFR



20041MG-BL/RFR

Destination Marine Grade Wet Location Wall Fixture

| Finish: BL BRZ SAT | Glass: RFR | Included: SSL Boards | Certifications: Wet, Wall | | | |
|--------------------|----------------|----------------------|---------------------------|---------------|-----------------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20041MG-_/RFR | 1lt x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 7.16"(W) x 10.23"(H); 4.8"(ext) |
| 20041LEDMG-_/RFR | 1lt x 13 W | SSL | 90 CRI LED | 3000k | 1265lm | 7.16"(W) x 10.23"(H); 4.8"(ext) |



PIER

A popular design can be found in PIER, but exceptional metal work, and extreme attention to detail separate this LED, marine grade luminaire from its counterparts.



20042MG-SAT/RFR



20042MG-BL/RFR



20042MG-BRZ/RFR

Pier Marine Grade Wet Location Wall Fixture

| Finish: BL BRZ SAT | Glass: RFR | Included: SSL Boards | | Certifications: Wet, Wall | | |
|--------------------|------------|----------------------|-------------------|---------------------------|----------|----------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20042MG-_/RFR | 1lt x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 7.24"(W) x 10.23"(H); 4.72"(ext) |
| 20042LEDMG-_/RFR | 1lt x 13 W | SSL | 90 CRI LED | 3000k | 1265lm | 7.24"(W) x 10.23"(H); 4.72"(ext) |



NEPTUNE

Rectangular sophistication with a geometrically inspired metal decoration defines NEPTUNE. Marine grade, and available in two different finishes, a contemporary satin or transitional bronze, certain to cater to your design requirements. Total shade illumination is achieved with ribbed frosted glass. Select from three different lamping sources; SSL, LED or incandescent to meet your application needs. NEPTUNE, warm and welcoming with contemporary style.



20012LEDDMGLP-BRZ/RFR



20012LEDDMGLP-SAT/RFR

Neptune Marine Grade Wet Location Wall Fixture

| Finish: BRZ SAT | Glass: RFR | Included: SSL Boards, A-19 LED Lamp | | Certifications: Wet, Wall | | |
|---------------------|------------|-------------------------------------|-------------------|---------------------------|----------|-------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20012MG-_/RFR | 11t x 75 W | E-26 | A-19 Incandescent | 2700k | 1100lm | 7"(W) x 13"(H); 5"(ext) |
| 20012LEDDMG-_/RFR | 11t x 13 W | SSL | 90 CRI LED | 3000k | 1250lm | 7"(W) x 13"(H); 5"(ext) |
| 20012LEDDMGLP-_/RFR | 11t x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 7"(W) x 13"(H); 5"(ext) |





20011LEDDMGLP-BRZ/RFR



20011LEDDMGLP-SAT/RFR



20031LEDDMGLP-SAT/RFR

NEVIS

This wet location bulkhead has stylish half moon rings at the top and bottom of the frame, adorning ribbed frosted glass. NEVIS is available in two outdoor finishes, two sizes and lamping options including incandescent and energy saving LED or incandescent. NEVIS, a bulkhead flaunting style.



20031LEDDMGLP-BRZ/RFR

Nevis Marine Grade Wet Location Wall Bulkhead

| Finish: BRZ SAT | Glass: RFR | Included: SSL Boards, A-19 LED Lamp | | Certifications: Wet, Wall | | |
|---------------------|------------|-------------------------------------|-------------------|---------------------------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20011MG-_/RFR | 1lt x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 7"(L) x 10.5"(H); 5"(ext) |
| 20011LEDDMG-_/RFR | 1lt x 13 W | SSL | 90 CRI LED | 3000k | 1250lm | 7"(L) x 10.5"(H); 5"(ext) |
| 20011LEDDMGLP-_/RFR | 1lt x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 7"(L) x 10.5"(H); 5"(ext) |
| 20031MG-_/RFR | 2lt x 60 W | E-26 | A-19 Incandescent | 3000k | 1600lm | 6"(L) x 16.75"(H); 5.3"(ext) |
| 20031LEDDMG-_/RFR | 1lt x 15 W | SSL | 90 CRI LED | 3000k | 1500lm | 6"(L) x 16.75"(H); 5.3"(ext) |
| 20031LEDDMGLP-_/RFR | 2lt x 9 W | E-26 | 80 CRI LED | 3000k | 1600lm | 6"(L) x 16.75"(H); 5.3"(ext) |

BERMUDA


Design and purpose meet in the marine grade BERMUDA luminaire. Graced with a ribbed frosted glass enclosed in a stylish metal cage, the attributes continue with lamping options. BERMUDA will make waves in any application.



20030LEDDMGLP-BRZ/RFR



20030LEDDMGLP-SAT/RFR



Bermuda Marine Grade Wet Location Wall Bulkhead

| Finish: BRZ SAT | Glass: RFR | Included: A-19 LED Lamp, SSL Boards | | Certifications: Wet, Wall | | |
|---------------------|------------|-------------------------------------|-------------------|---------------------------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20030MG-_/RFR | 21t x 60 W | E-26 | A-19 Incandescent | 2700k | 1600lm | 6"(L) x 16.75"(H); 5.3"(ext) |
| 20030LEDDMG-_/RFR | 11t x 15 W | SSL | 90 CRI LED | 3000k | 1500lm | 6"(L) x 16.75"(H); 5.3"(ext) |
| 20030LEDDMGLP-_/RFR | 21t x 9 W | E-26 | 80 CRI LED | 3000k | 1600lm | 6"(L) x 16.75"(H); 5.3"(ext) |





20010LEDDMGLP-BL/RFR



20010LEDDMGLP-BRZ/RFR



20010LEDDMGLP-SAT/RFR

Bermuda Marine Grade Wet Location Wall Bulkhead

| Finish: BL BRZ SAT | Glass: RFR | Included: A-19 LED Lamp, SSL Boards | Certifications: Wet, Wall | | | |
|---------------------|----------------|-------------------------------------|---------------------------|---------------|-----------------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20010MG-_/RFR | 1lt x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 7"(L) x 10.5"(H); 5"(ext) |
| 20010LEDDMG-_/RFR | 1lt x 13 W | SSL | 90 CRI LED | 3000k | 1250lm | 7"(L) x 10.5"(H); 5"(ext) |
| 20010LEDDMGLP-_/RFR | 1lt x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 7"(L) x 10.5"(H); 5"(ext) |





20290-BL/FST




20290-SAT/FST



20290-WH/FST

Nauticus Wet Location Bulkhead

| Finish: BL SAT WH | Glass: FST | Included: A-19 LED Lamp | | Certifications: Wet, Wall | | |  |
|-------------------|------------|-------------------------|-------------------|---------------------------|----------|--------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20290-_/FST | 1ft x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 8.25"(W) x 4.25"(H); 3.5"(ext) | |
| 20290LEDDL-_/FST | 1ft x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 8.25"(W) x 4.25"(H); 3.5"(ext) | |



20294-BL/FST




20294-SAT/FST



20294-WH/FST

Nauticus Wet Location Bulkhead

| Finish: BL SAT WH | Glass: FST | Included: A-19 LED Lamp | | Certifications: Wet, Wall | | |  |
|-------------------|------------|-------------------------|-------------------|---------------------------|----------|------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20294-_/FST | 1ft x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 7"(dia); 4"(ext) | |
| 20294LEDDL-_/FST | 1ft x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 7"(dia); 4"(ext) | |



20292-BL/FST




20292-SAT/FST



20292-WH/FST

Nauticus Wet Location Bulkhead

| Finish: BL SAT WH | Glass: FST | Included: A-19 LED Lamp | | Certifications: Wet, Wall | | |  |
|-------------------|-------------|-------------------------|-------------------|---------------------------|----------|---------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20292-_/FST | 11t x 100 W | E-26 | A-19 Incandescent | 2700k | 1600lm | 11"(W) x 6.5"(H); 5"(ext) | |
| 20292LEDDL-_/FST | 11t x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 11"(W) x 6.5"(H); 5"(ext) | |



20296-BL/FST




20296-SAT/FST



20296-WH/FST

Nauticus Wet Location Bulkhead

| Finish: BL SAT WH | Glass: FST | Included: A-19 LED Lamp | | Certifications: Wet, Wall/Ceiling | | |  |
|-------------------|-------------|-------------------------|-------------------|-----------------------------------|----------|--------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20296-_/FST | 11t x 100 W | E-26 | A-19 Incandescent | 2700k | 1600lm | 9.5"(dia); 5"(ext) | |
| 20296LEDDL-_/FST | 11t x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 9.5"(dia); 5"(ext) | |



20291-BL/FST




20291-SAT/FST



20291-WH/FST

Nauticus Wet Location Bulkhead

| Finish: BL SAT WH | Glass: FST | Included: A-19 LED Lamp | Certifications: Wet, Wall | | | |  |
|-------------------|------------|-------------------------|---------------------------|--------|----------|--------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20291-_/FST | 1ft x 60 W | E-26 | A-19 Incandescent | 2700k | 800lm | 8.25"(W) x 4.25"(H); 3.5"(ext) | |
| 20291LEDDL-_/FST | 1ft x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 8.25"(W) x 4.25"(H); 3.5"(ext) | |




20373-BRZ/OPL



20373-SAT/OPL

Tyro Wet Location Wall Fixture

| Finish: BRZ SAT | Glass: OPL | Included: A-19 LED Lamp | Certifications: Wet, Wall | | | |  |
|------------------|-------------|-------------------------|---------------------------|--------|----------|-----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20373-_/OPL | 1ft x 100 W | E-26 | A-19 Incandescent | 2700k | 1600lm | 14.6"(W) x 5"(H); 4.2"(ext) | |
| 20373LEDDL-_/OPL | 1ft x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 14.6"(W) x 5"(H); 4.2"(ext) | |



20449-SAT/OPL

Eclipse Wet Location Wall Fixture

| Finish: SAT | Glass: OPL | Included: A-19 LED Lamp, Spiral Lamp | | Certifications: Wet, Wall | | |
|----------------------|------------|--------------------------------------|--------------------|---------------------------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20449-SAT/OPL | 1lt x 75 W | E-26 | A-19 Incandescent | 2700k | 1100lm | 9.25"(W) x 14"(H); 4"(ext) |
| 20449LEDDL-P-SAT/OPL | 1lt x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 9.25"(W) x 14"(H); 4"(ext) |
| C20449SATOPLEN1113BS | 1lt x 13 W | GU-24 | Spiral Fluorescent | 2700k | 900lm | 9.25"(W) x 14"(H); 4"(ext) |



20450-OPL


Brick Wet Location Wall Fixture


| Finish: -- | Glass: OPL | Included: A-19 LED Lamp, Spiral Lamp | | Certifications: Wet, Wall | | |
|------------------|------------|--------------------------------------|--------------------|---------------------------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20450-OPL | 1lt x 75 W | E-26 | A-19 Incandescent | 2700k | 1100lm | 5.5"(W) x 10.25"(H); 4"(ext) |
| 20450LEDDL-P-OPL | 1lt x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 5.5"(W) x 10.25"(H); 4"(ext) |
| C20450OPLN1113BS | 1lt x 13 W | GU-24 | Spiral Fluorescent | 2700k | 900lm | 5.5"(W) x 10.25"(H); 4"(ext) |







Artemis Wet Location Wall Fixture


| Finish: BRZ SAT | Glass: OPL | Included: Spiral Lamp | Certifications: Damp, Wall | | | |  |
|-----------------|------------|-----------------------|----------------------------|--------|----------|-------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20362-_/OPL | 21t x 13 W | GU-24 | Spiral Fluorescent | 2700k | 1800lm | 10.25"(W) x 11.5"(H); 4"(ext) | |



20330MG-SAT/FST

Oden Marine Grade Wet Location LED Wall Fixture

| Finish: SAT | Glass: FST | Included: A-19 LED Lamp | Certifications: Wet, Wall | | | |   |
|-----------------------|------------|-------------------------|---------------------------|--------|----------|-----------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20330MG-SAT/FST | 21t x 60 W | E-26 | A-19 Incandescent | 2700k | 1600lm | 10.25"(W) x 10.25"(H); 4.75"(ext) | |
| 20330LEDDMGLP-SAT/FST | 21t x 9 W | E-26 | 80 CRI LED | 3000k | 1600lm | 10.25"(W) x 10.25"(H); 4.75"(ext) | |






20375MG-SAT/FST



20375MG-BRZ/FST

Nymph Marine Grade Wet Location LED Wall Fixture

| Finish: BRZ SAT | Glass: FST | Included: All Lamps | Certifications: Wet, Wall | | | |    |
|--------------------|------------|---------------------|---------------------------|--------|----------|--------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20375MG-_/FST | 11t x 13 W | GU-24 | Spiral Fluorescent | 2700k | 900lm | 6.6"(dia); 4"(ext) | |
| 20375LEDMGLP-_/FST | 11t x 10 W | GU-24 | 85 CRI LED | 3000k | 900lm | 6.6"(dia); 4"(ext) | |



NYZ

Bring instant curbside appeal to your home with The NYZ Collection. Available in a Marine Grade bronze or satin finish.






20367MG-BRZ/OPL



20367MG-SAT/OPL

NYZ Marine Grade Wet Location Wall Fixture

| Finish: BRZ SAT | Glass: OPL | Included: All Lamps | | Certifications: Wet, Wall | | |   |
|-----------------|------------|---------------------|--------------------|---------------------------|----------|----------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20367MG-_/OPL | 1lt x 18 W | 2G11 | FT18DL Fluorescent | 3000k | 1200lm | 4.25"(W) x 11.25"(H); 5.75"(ext) | |



20361-ALU/OPL

EOS

The beauty of EOS lies in the simple austere lines. The downward light projection provides both general illumination and simple path lighting.



20360-ALU/OPL



20360-BRZ/OPL



20361-BRZ/OPL

EOS Wet Location Wall Fixture

| Finish: ALU BRZ | Glass: OPL | Included: -- | Certifications: Wet, Wall | | | |
|-----------------|------------|--------------|---------------------------|--------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20360-_/OPL | 1lt x 60 W | E-26 | B-10 Incandescent | 2700k | 800lm | 11.5"(H); 3"(dia); 4.5"(ext) |
| 20361-_/OPL | 2lt x 60 W | E-26 | B-10 Incandescent | 2700k | 1600lm | 18.5"(H); 3"(dia); 4.5"(ext) |





MIST

Bring contemporary sophistication and LED technology to your outdoor space with the MIST Collection. Solid-state lighting protected in a marine grade finish of satin, black or bronze. Square textured glass suggestive of rain is set against an oblong back plate.



20043LEDDMG-BL/CLR







20043LEDDMG-BRZ/CLR



20043LEDDMG-SAT/CLR

Mist Marine Grade Wet Location Art Glass Dimmable LED Wall Fixture

| Finish: BL BRZ SAT | Glass: CLR | Included: All SSL Boards | | Certifications: Wet, Wall | |     |
|--------------------|--------------|--------------------------|------------|---------------------------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20043LEDDMG-_/CLR | 11t x 14.7 W | SSL | 90 CRI LED | 3000k | 1160lm | 4.33"(W) x 5.82"(H); 2"(ext) |



CILINDRO EXTERIOR

Cylindrical opal glass set against a curved metal back plate forms a lovely outdoor fixture with clean, elegant contemporary lines. Dedicated SSL, 3000k, and 90CRI make this as much an interior option.



20067LEDD-BS/OPL



20068LEDD-BS/OPL



20069LEDD-BS/OPL

Cilindro Exterior Dimmable Wall Mounts

| Finish: BS | Glass: OPL | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|------------------|----------------|--------------------------|---------------------------|---------------|-----------------|----------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20067LEDD-BS/OPL | 1ft x 8 W | SSL | 90 CRI LED | 3000k | 640lm | 4.38"(W) x 12.38"(H); 3.75"(ext) |
| 20068LEDD-BS/OPL | 1ft x 12 W | SSL | 90 CRI LED | 3000k | 960lm | 4.38"(W) x 15.38"(H); 3.75"(ext) |
| 20069LEDD-BS/OPL | 1ft x 16 W | SSL | 90 CRI LED | 3000k | 1280lm | 4.38"(W) x 18.38"(H); 3.75"(ext) |





SANDPIPER

SANDPIPER is the ideal luminaire to bring light and effect to an exterior space without detracting from the design elements of the space. Basic cylindrical design, excellent lumen output, 90 CRI all assemble to mark SANDPIPER as an excellent solid-state lighting option for the great outdoors.



20034LEDMG-SAT/FST



20035LEDMG-BRZ/FST



20035LEDMG-SAT/FST



20036LEDMG-BRZ/FST

Sandpiper Marine Grade LED Wall Mounts

| Finish: BRZ SAT | Glass: FST | Included: All SSL Boards | Certifications: Wet, Wall | | | |
|------------------|------------|--------------------------|---------------------------|--------|----------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20034LEDMG-_/FST | 2ft x 15 W | SSL | 90 CRI LED | 3000k | 2500lm | 4"(dia) x 12.25"(H); 5.75"(ext) |
| 20035LEDMG-_/FST | 2ft x 15 W | SSL | 90 CRI LED | 3000k | 2500lm | 4"(dia) x 18.25"(H); 5.75"(ext) |
| 20036LEDMG-_/FST | 2ft x 15 W | SSL | 90 CRI LED | 3000k | 3400lm | 6"(dia) x 18"(H); 9"(ext) |








20352MG-SAT/CLR



20352MG-BRZ/CLR

KO Marine Grade Wet Location Spotlight

| Finish: BRZ SAT | Glass: CLR | Included: All Lamps | | Certifications: Wet, Wall | | |    |
|---------------------|-------------|---------------------|---------------|---------------------------|----------|--------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20352MG-_/CLR | 21t x 35 W | GU-10 | MR-16 Halogen | 2900k | 520lm | 4"(W) x 6.5"(H); 4"(ext) | |
| 20352LEDDMGLP-_/CLR | 21t x 5.5 W | GU-10 | 80 CRI LED | 3000k | 692lm | 4"(W) x 6.5"(H); 4"(ext) | |







20350MG-BRZ/CLR



20350MG-SAT/CLR

KO Marine Grade Wet Location Spotlight

| Finish: BRZ SAT | Glass: CLR | Included: All Lamps | Certifications: Wet, Wall | | | |
|---------------------|-------------|---------------------|---------------------------|--------|----------|---|
| | | | | | |    |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20350MG-_/CLR | 1lt x 35 W | GU-10 | MR-16 Halogen | 2900k | 320lm | 4.2"(W) x 4.25"(H); 4"(ext) |
| 20350LEDDMGLP-_/CLR | 1lt x 5.5 W | GU-10 | 80 CRI LED | 3000k | 346lm | 4.2"(W) x 4.25"(H); 4"(ext) |






20351MG-SAT/CLR



20351MG-BRZ/CLR

KO Marine Grade Wet Location Spotlight

| Finish: BRZ SAT | Glass: CLR | Included: All Lamps | Certifications: Wet, Wall | | | |
|---------------------|-------------|---------------------|---------------------------|--------|----------|---|
| | | | | | |    |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20351MG-_/CLR | 1lt x 35 W | GU-10 | MR-16 Halogen | 2900k | 320lm | 4"(H); 4"(dia); 5"(ext) |
| 20351LEDDMGLP-_/CLR | 1lt x 5.5 W | GU-10 | 80 CRI LED | 3000k | 346lm | 4"(H); 4"(dia); 5"(ext) |





23025MG-BRZ/CLR



23025MG-SAT/CLR

Myra Marine Grade Wet Location Adjustable Spotlight


| Finish: BRZ SILV | Glass: CLR | Included: All Lamps | | Certifications: Wet, Wall | | |   |
|--------------------|------------|---------------------|---------------|---------------------------|----------|-----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 23025MG-_/CLR | 1lt x 50 W | GU-10 | MR-16 Halogen | 2900k | 550lm | 4.5"(W) x 3.75"(W); 5"(ext) | |
| 23025LEDMGLP-_/CLR | 1lt x 5 W | GU-10 | 80 CRI LED | 3000k | 250lm | 4.5"(W) x 3.75"(W); 5"(ext) | |



20385MG-SAT/CLR

20385MG-BRZ/CLR

Poseidon Marine Grade Wet Location Wall Washer

| | | | | | | | |
|------------------------|-------------------|-----------------------------|---------------|----------------------------------|-----------------|-------------------------------|---|
| Finish: BRZ SAT | Glass: CLR | Included: MR-16 Lamp | | Certifications: Wet, Wall | | |  |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20385MG-_/CLR | 2lt x 35 W | GU-5.3 | MR-16 Halogen | 2900k | 720lm | 4.4" (W) x 9" (H); 4.8" (ext) | |
| 20385LEDDMGLP-_/CLR | 2lt x 4 W | GU-5.3 | 80 CRI LED | 3000K | 430lm | 4.4" (W) x 9" (H); 4.8" (ext) | |



Poseidon Wet Location Wallwasher

| Finish: BRZ SAT | Glass: CLR | Included: All LED Lamps | Certifications: Wet, Wall | | | |
|------------------|------------|-------------------------|---------------------------|--------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20364-_/CLR | 21t x 60 W | E-26 | PAR-30 Incandescent | 2700k | 1680lm | 4.75"(W) x 12"(H); 7"(ext) |
| 20364LEDDL-_/CLR | 21t x 9 W | E-26 | 80 CRI LED | 3000k | 1600lm | 4.75"(W) x 12"(H); 7"(ext) |



Poseidon Wet Location Wallwasher

| Finish: BRZ SAT BL | Glass: __ | Included: All LED Lamps | Certifications: Wet, Wall | | | |
|--------------------|------------|-------------------------|---------------------------|--------|----------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20363-__ | 11t x 60 W | E-26 | PAR-30 Incandescent | 2700k | 840lm | 4.75"(W) x 6"(H); 7"(ext) |
| 20363LEDDL-__ | 11t x 9 W | E-26 | 80 CRI LED | 3000k | 800lm | 4.75"(W) x 6"(H); 7"(ext) |






20389MG-SAT/CLR



20389MG-BRZ/CLR

Trident Marine Grade Wet Location Wall Washer

| Finish: BRZ SAT | Glass: CLR | Included: All Lamp Supplied | | Certifications: Wet, Wall | | |  |
|-----------------------|------------|-----------------------------|---------------------|---------------------------|----------|-------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20389MG-___/CLR | 2lt x 75 W | E-26 | PAR-30 Incandescent | 2700k | 2200lm | 6.2"(dia) x 14"(H); 8.4"(ext) | |
| 20389LEDDMGLP-___/CLR | 2lt x 9 W | E-26 | 80 CRI LED | 3000k | 1600lm | 6.2"(dia) x 14"(H); 8.4"(ext) | |



20444-SAT



20444-BRZ

Poseidon Wet Location Wall Washer

| Finish: BRZ SAT | Glass: ___ | Included: | | Certifications: Wet, Wall | | |  |
|-----------------|------------|-----------|---------------------|---------------------------|----------|--------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20444-___ | 2lt x 60 W | E-26 | PAR-30 Incandescent | 2700k | 1680lm | 4.75"(dia) x 12"(H); 6.9"(ext) | |





20785LED-BL



20785LED-WH

Guardian Wet Location Security Spotlight

| | | | | | | | |
|---------------|--------------|--------------------------|------------|---------------------------|----------|-------------------------------|---|
| Finish: BL WH | Glass: -- | Included: All SSL Boards | | Certifications: Wet, Wall | | |   |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 20785LED-__ | 2ft x 10.5 W | SSL | 80 CRI LED | 4000k | 1800lm | 11.5"(W) x 10"(H); 9.25"(ext) | |

ADAPT

ADAPT provides flexibility to the standard wall pack with the ability to adjust the angle of the light. Clean, architectural lines, packed with LED technology makes this exterior element adaptable to your outdoor living space.




20789LED-WH



20789LED-BRZ



20789LED-BL



Adapt Wet Location Adjustable Wall Pack Universal Voltage 120 - 277v

| Finish: BL BRZ WH | Glass: -- | Included: All SSL Boards | | Certifications: Wet, Wall | | |
|-------------------|------------|--------------------------|------------|---------------------------|----------|--------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20789LED-__ | 11t x 30 W | SSL | 80 CRI LED | 4000k | 2500lm | 6.25"(W) x 7.25"(H); 3-8"(ext) |



INDEX


| MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# |
|-------|-----|-------|---------|-------|---------|-------|---------|
| 20010 | 389 | 20076 | 367 | 20420 | 344 | 20725 | 291 |
| 20011 | 387 | 20100 | 381 | 20435 | 337 | 20726 | 291 |
| 20012 | 386 | 20101 | 381 | 20436 | 337 | 20738 | 100 210 |
| 20030 | 388 | 20105 | 380 | 20439 | 344 | 20739 | 101 343 |
| 20031 | 387 | 20106 | 380 | 20440 | 344 | 20747 | 283 |
| 20032 | 377 | 20107 | 380 | 20441 | 337 | 20775 | 281 |
| 20033 | 377 | 20108 | 380 | 20442 | 337 | 20776 | 281 |
| 20034 | 403 | 20290 | 390 | 20444 | 409 | 20780 | 299 |
| 20035 | 403 | 20291 | 392 | 20445 | 345 | 20781 | 299 |
| 20036 | 403 | 20292 | 391 | 20446 | 345 | 20782 | 281 |
| 20038 | 383 | 20294 | 390 | 20447 | 345 | 20783 | 281 |
| 20039 | 383 | 20296 | 391 | 20449 | 393 | 20785 | 410 |
| 20040 | 383 | 20330 | 395 | 20450 | 393 | 20789 | 411 |
| 20041 | 384 | 20350 | 405 | 20451 | 345 | 20800 | 276 |
| 20042 | 385 | 20351 | 405 | 20464 | 267 269 | 20801 | 277 |
| 20043 | 399 | 20352 | 404 | 20465 | 267 269 | 20802 | 278 |
| 20044 | 376 | 20355 | 369 | 20466 | 267 269 | 20803 | 279 |
| 20045 | 374 | 20356 | 369 | 20467 | 267 | 20805 | 282 |
| 20046 | 373 | 20360 | 397 | 20468 | 271 | 20810 | 273 |
| 20047 | 375 | 20361 | 397 | 20494 | 248 | 20811 | 273 |
| 20048 | 373 | 20362 | 394 | 20624 | 289 | 20812 | 273 |
| 20055 | 372 | 20363 | 408 | 20625 | 289 | 20813 | 280 |
| 20056 | 372 | 20364 | 408 | 20626 | 289 | 20814 | 280 |
| 20057 | 371 | 20367 | 396 | 20635 | 342 | 20815 | 280 |
| 20058 | 371 | 20373 | 392 | 20660 | 342 | 20816 | 282 |
| 20059 | 371 | 20375 | 395 | 20661 | 298 | 20817 | 272 |
| 20061 | 371 | 20385 | 407 | 20662 | 298 | 20818 | 272 |
| 20067 | 401 | 20389 | 409 | 20670 | 72 261 | 20819 | 272 |
| 20068 | 401 | 20398 | 378 | 20671 | 72 261 | 20820 | 255 |
| 20069 | 401 | 20399 | 378 379 | 20672 | 72 261 | 20821 | 255 |
| 20070 | 368 | 20415 | 343 | 20673 | 71 168 | 23007 | 382 |
| 20071 | 368 | 20416 | 344 | 20676 | 73 261 | 23020 | 301 |
| 20072 | 368 | 20417 | 342 | 20677 | 73 260 | 23025 | 406 |
| 20075 | 367 | 20419 | 342 | 20724 | 291 | 23072 | 175 |

| MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# |
|-------|--------|-------|--------|-------|---------|-------|--------|
| 23087 | 230 | 23952 | 189 | 50037 | 296 | 50901 | 68 258 |
| 23089 | 230 | 24000 | 22 340 | 50038 | 296 | 50902 | 67 258 |
| 23104 | 232 | 24001 | 23 249 | 50079 | 285 | 50903 | 66 177 |
| 23111 | 232 | 24002 | 23 249 | 50080 | 285 | 50904 | 65 177 |
| 23112 | 233 | 24003 | 23 249 | 50081 | 285 | 50907 | 69 340 |
| 23122 | 236 | 24880 | 157 | 50120 | 80 287 | 50920 | 61 247 |
| 23123 | 234 | 24881 | 145 | 50121 | 80 287 | 50921 | 61 247 |
| 23130 | 235 | 24882 | 145 | 50123 | 79 169 | 50922 | 60 246 |
| 23132 | 234 | 24883 | 161 | 50124 | 79 169 | 50923 | 60 246 |
| 23133 | 235 | 28004 | 220 | 50160 | 300 | 50924 | 60 246 |
| 23425 | 176 | 28011 | 221 | 50161 | 300 | 50925 | 63 164 |
| 23435 | 179 | 28012 | 219 | 50162 | 300 | 50926 | 63 164 |
| 23436 | 179 | 28022 | 225 | 50175 | 328 | 50927 | 59 165 |
| 23437 | 179 | 28023 | 222 | 50177 | 328 | 50928 | 59 165 |
| 23636 | 188 | 28030 | 226 | 50178 | 328 | 50929 | 59 165 |
| 23764 | 252 | 28033 | 227 | 50180 | 187 | 50935 | 205 |
| 23766 | 167 | 28069 | 229 | 50181 | 187 | 50936 | 205 |
| 23767 | 167 | 28078 | 223 | 50182 | 329 | 50937 | 203 |
| 23776 | 193 | 28090 | 199 | 50183 | 329 | 50938 | 203 |
| 23777 | 191 | 28091 | 199 | 50184 | 329 | 50939 | 51 253 |
| 23778 | 195 | 28092 | 197 | 50185 | 329 | 50940 | 49 147 |
| 23879 | 157 | 28093 | 198 | 50186 | 298 | 52001 | 239 |
| 23880 | 21 256 | 28101 | 185 | 50187 | 298 | 52023 | 231 |
| 23881 | 19 257 | 28102 | 185 | 50198 | 275 | 52030 | 121 |
| 23882 | 18 155 | 31000 | 349 | 50199 | 275 | 52031 | 121 |
| 23883 | 17 155 | 31001 | 349 | 50441 | 103 | 52042 | 119 |
| 23890 | 13 163 | 31002 | 349 | 50443 | 104 | 52043 | 119 |
| 23891 | 13 163 | 31003 | 349 | 50444 | 103 | 52052 | 241 |
| 23892 | 15 263 | 31004 | 352 | 50465 | 131 | 52062 | 213 |
| 23893 | 15 262 | 31007 | 348 | 50466 | 131 | 52070 | 210 |
| 23920 | 99 318 | 31010 | 353 | 50501 | 213 | 52076 | 87 182 |
| 23921 | 99 318 | 31011 | 353 | 50511 | 105 338 | 52077 | 87 182 |
| 23922 | 99 318 | 31026 | 294 | 50514 | 211 | 52078 | 87 182 |
| 23923 | 99 318 | 31028 | 295 | 50525 | 216 | 52081 | 89 320 |
| 23924 | 98 245 | 31029 | 294 | 50526 | 215 | 52082 | 89 320 |
| 23925 | 322 | 31030 | 295 | 50543 | 211 | 52083 | 89 320 |
| 23926 | 322 | 31032 | 352 | 50562 | 101 336 | 52084 | 89 320 |
| 23927 | 322 | 31033 | 352 | 50564 | 336 | 52085 | 89 320 |
| 23928 | 322 | 50030 | 293 | 50565 | 336 | 52091 | 11 340 |
| 23929 | 322 | 50031 | 293 | 50567 | 336 | 52092 | 11 125 |
| 23950 | 189 | 50032 | 293 | 50568 | 338 | 52093 | 10 123 |
| 23951 | 189 | 50036 | 296 | 50900 | 69 258 | 52094 | 9 123 |

| MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# |
|-------|--------|-------|--------|-------|--------|-------|--------|
| 52103 | 116 | 62299 | 327 | 62474 | 47 325 | 63064 | 107 |
| 52111 | 85 321 | 62321 | 33 314 | 62475 | 47 325 | 63065 | 107 |
| 52112 | 85 321 | 62322 | 33 314 | 62476 | 46 173 | 63066 | 109 |
| 52113 | 85 321 | 62323 | 33 314 | 62477 | 46 128 | 63067 | 109 |
| 52114 | 85 321 | 62324 | 33 314 | 62480 | 346 | 63068 | 109 |
| 52116 | 83 183 | 62325 | 30 245 | 62481 | 346 | 63110 | 5 135 |
| 52117 | 83 183 | 62326 | 32 | 62482 | 347 | 63111 | 5 135 |
| 52118 | 83 183 | 62327 | 31 129 | 62483 | 347 | 63112 | 5 135 |
| 52119 | 84 265 | 62330 | 143 | 62484 | 302 | 63113 | 7 137 |
| 52120 | 84 127 | 62331 | 142 | 62485 | 302 | 63114 | 7 137 |
| 52204 | 117 | 62332 | 143 | 62486 | 302 | 63951 | 97 297 |
| 52205 | 116 | 62333 | 143 | 62487 | 305 | 63953 | 97 297 |
| 52206 | 117 | 62340 | 41 181 | 62488 | 305 | 63957 | 95 172 |
| 52220 | 113 | 62341 | 41 181 | 62489 | 304 | 63958 | 95 172 |
| 52221 | 113 | 62342 | 41 181 | 62491 | 45 324 | 63959 | 95 172 |
| 52222 | 114 | 62345 | 43 319 | 62492 | 45 324 | 63960 | 96 249 |
| 52223 | 115 | 62346 | 43 319 | 62493 | 45 324 | 63961 | 96 249 |
| 52224 | 114 | 62347 | 43 319 | 62494 | 45 324 | 63962 | 96 133 |
| 52226 | 115 | 62348 | 43 319 | 62496 | 44 324 | 63963 | 151 |
| 55545 | 201 | 62351 | 29 311 | 62500 | 307 | 63964 | 151 |
| 62042 | 350 | 62353 | 29 311 | 62501 | 307 | 63965 | 149 |
| 62043 | 350 | 62354 | 29 311 | 62502 | 307 | 63971 | 91 323 |
| 62052 | 351 | 62355 | 28 251 | 62509 | 317 | 63973 | 91 323 |
| 62053 | 351 | 62356 | 28 251 | 62511 | 317 | 63974 | 91 323 |
| 62060 | 351 | 62357 | 28 251 | 62512 | 317 | 63975 | 91 323 |
| 62089 | 359 | 62358 | 27 139 | 62551 | 309 | 63978 | 90 264 |
| 62104 | 338 | 62359 | 27 139 | 62553 | 309 | 63979 | 90 264 |
| 62105 | 338 | 62360 | 25 138 | 62554 | 309 | 63982 | 53 152 |
| 62218 | 343 | 62361 | 25 138 | 62555 | 312 | 63983 | 53 341 |
| 62235 | 343 | 62450 | 39 331 | 62556 | 312 | 63984 | 57 153 |
| 62243 | 339 | 62451 | 39 331 | 62557 | 312 | 63985 | 55 153 |
| 62244 | 339 | 62454 | 37 141 | 62558 | 313 | 63986 | 57 341 |
| 62245 | 339 | 62455 | 37 141 | 62559 | 313 | 63987 | 159 |
| 62291 | 326 | 62457 | 38 140 | 62560 | 313 | 63988 | 159 |
| 62292 | 326 | 62458 | 35 141 | 62561 | 315 | 63989 | 160 |
| 62293 | 326 | 62460 | 209 | 62562 | 315 | 63990 | 207 |
| 62294 | 326 | 62461 | 306 | 62563 | 315 | 63991 | 206 |
| 62295 | 326 | 62463 | 306 | 63053 | 93 111 | 63992 | 206 |
| 62296 | 327 | 62464 | 306 | 63054 | 93 111 | 70003 | 359 |
| 62297 | 327 | 62471 | 47 325 | 63055 | 93 111 | 70012 | 243 |
| 62298 | 327 | 62473 | 47 325 | 63063 | 107 | 70018 | 357 |

| MODEL | PG# |
|-------|--------|
| 70019 | 357 |
| 70034 | 335 |
| 70035 | 335 |
| 70036 | 334 |
| 70037 | 333 |
| 70038 | 333 |
| 70039 | 333 |
| 70080 | 77 259 |
| 70081 | 77 259 |
| 70082 | 77 259 |
| 70083 | 75 171 |
| 70084 | 75 171 |
| 70085 | 355 |
| 70086 | 355 |
| 72002 | 365 |
| 72003 | 361 |
| 72004 | 361 |
| 72005 | 362 |
| 72006 | 363 |
| 87121 | 242 |
| 87122 | 242 |
| 969ST | 236 |
| 978ST | 236 |





Fixture Finish Codes

| | | | | | |
|---------|-------------------|----------|--------------------------|---------|----------------------------|
| AB | Antique Brass | GWH | Gloss White | SBL/SCP | Shiny Black & Shiny Copper |
| ALU | Aluminum | GWH/SILV | Gloss White & Silver | SBL/CP | Shiny Black & Copper |
| ANCK | Antique Nickel | GRY | Gray | SCP | Shiny Copper |
| CP/GLD | Copper & Gold | IGLD | Inspired Gold | SILV | Silver |
| BB | Brushed Brass | MBL | Matte Black | SS | Stainless Steel |
| BCP | Brushed Copper | MBL/MGL | Matte Black & Matte Gold | WH | White |
| BGL | Black & Gold | MC | Matte Chrome | WH/CH | White with Chrome |
| BL | Black | MGRN/WHT | Mint Green & White | WH/GLD | White with Gold Leaf |
| BRZ | Bronze | MSS | Mirrored Stainless Steel | WH/SILV | White with Silver Leaf |
| BRK | Brick | ORB | Oil Rubbed Bronze | WH/WH | White with White |
| BS | Brushed Steel | RED | Red | | |
| BSL | Brushed Silver | RED/SILV | Red & Silver | | |
| CH | Chrome | RIC | Rice | | |
| DBRZ | Distressed Bronze | RU | Rust | | |
| GLD | Gold | SAT | Satin | | |
| GLD/WHT | Gold & White | SBL/WHT | Shiny Black & White | | |

Glass Finish Codes

| | | | | | |
|--------|-----------------------|---------|-------------------|--------|----------------|
| 8CL | 8mm Clear | CLRUSKY | Clear Red Sky | PLC | Purple Cloud |
| ACR | Acrylic | COB | Cobalt | PLS | Purple Swirl |
| ALB | Alabaster Glass | CP | Copper | RED | Red |
| AMB | Amber | CRM | Cream Linen Shade | REDFB | Red Firebird |
| AMFBF | Amber Firebird | CRY | Crystal | RFR | Ribbed Frosted |
| BRST | Brown Stone | CSL | Cream Silk Lined | RUSKY | Red Sky |
| CCL | Crystal Clear | FRC | Frosted Clear | SMAMB | Smoked Amber |
| CCLCLR | Crystal Clear & Clear | FST | Frosted | SMK | Smoke |
| CFR | Clear Frosted | ICA | Inca | STARRY | Starry |
| CKF | Checkered Frosted | LGR | Lime Green | WH | White |
| CLAM | Clear & Amber | MIR | Mirror | WHST | White Stone |
| CLOP | Clear & Opal | MUL | Multi-Color | WHT | White |
| CLR | Clear | MYA | Maya | WHTFB | White Firebird |
| CLRD | Clear & Red | OPL | Opal | | |

HEADQUARTERS:

14410 Myford Road
Irvine, CA 92606 | USA

TOLL-FREE:

800-828-5483

PHONE:

714-247-1270

FAX:

714-247-1351

E-MAIL:

info@accesslighting.com

DALLAS TRADE MART:

2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA

access
LIGHTING

www.accesslighting.com



\$15.00

Catalog 28 © 2018 All Rights Reserved